

別紙表 2

全がん協部位別臨床病期別 10 年生存率 (2005-2008 年診断症例)

		I	II	III	IV	全 症例 (注)	手術 症例	手術率 (%)	病期 判明率 (%)	追跡率 (%)
食道 C15	症例数	1,212	1,122	1,548	1,336	5,352	2,026	37.9	97.5	97.1
	実測 生存率(%)	60.7	33.1	17.5	6.8	28.4	36.7			
	相対 生存率(%)	74.9	39.6	20.7	8.1	34.4	43.3			
胃 C16	症例数	12,071	1,634	1,960	3,292	19,455	11,913	61.2	97.4	94.8
	実測 生存率(%)	73.9	48.1	30.8	4.9	55.3	59.9			
	相対 生存率(%)	90.3	57.0	37.2	5.8	67.3	70.8			
結腸 C18	症例数	1,721	1,442	1,867	1,541	6,841	6,025	88.1	96.1	93.1
	実測 生存率(%)	78.8	67.0	65.7	11.8	56.9	60.9			
	相対 生存率(%)	96.9	83.0	80.0	13.8	69.8	74.5			
直腸 C19-20	症例数	1,263	1,078	1,492	877	4,981	4,415	88.6	94.6	93.7
	実測 生存率(%)	79.2	70.1	61.7	12.0	59.8	61.8			
	相対 生存率(%)	92.1	83.1	71.6	13.7	69.7	72.1			
大腸 C18-20 再掲1	症例数	2,984	2,520	3,359	2,418	11,822	10,440	88.3	95.4	93.3
	実測 生存率(%)	78.9	68.3	63.9	11.9	58.1	61.3			
	相対 生存率(%)	94.8	83.0	76.2	13.8	69.7	73.4			
肝 C22	症例数	1,674	1,254	1,137	532	4,721	1,329	28.2	97.4	96.8
	実測 生存率(%)	24.2	14.3	5.7	1.7	14.3	31.0			
	相対 生存率(%)	30.2	17.5	6.7	2.0	17.6	37.7			

		I	II	III	IV	全 症例 (注)	手術 症例	手術率 (%)	病期 判明率 (%)	追跡率 (%)
胆のう・ 胆道 C23-24	症例数	527	499	292	593	2,056	1,099	53.5	92.9	96.6
	実測 生存率(%)	38.7	14.5	8.2	1.5	16.3	26.8			
	相対 生存率(%)	47.4	17.9	10.2	1.8	19.8	32.6			
膵 C25	症例数	277	929	884	2,205	4,470	1,481	33.1	96.1	98.0
	実測 生存率(%)	27.4	10.1	2.9	0.8	5.5	14.7			
	相対 生存率(%)	32.1	12.2	3.4	0.9	6.6	17.6			
喉頭 C32	症例数	448	354	192	296	1,305	442	33.9	98.9	93.8
	実測 生存率(%)	68.3	53.1	47.2	29.4	51.9	47.9			
	相対 生存率(%)	85.1	65.7	57.7	35.1	64.2	58.2			
肺 C33-C34	症例数	6,672	1,481	4,083	4,950	17,547	7,855	44.8	97.9	96.5
	実測 生存率(%)	56.4	28.2	11.3	1.7	28.1	55.9			
	相対 生存率(%)	67.6	34.5	13.1	2.1	33.6	66.4			
乳 C50(女)	症例数	6,597	6,374	1,462	675	15,197	14,251	93.8	99.4	96.1
	実測 生存率(%)	92.3	83.6	62.9	17.5	82.4	85.7			
	相対 生存率(%)	98.3	88.7	66.6	18.5	87.5	91.1			
子宮頸 C53(女)	症例数	1,474	645	655	403	3,227	1,877	58.2	98.5	94.1
	実測 生存率(%)	85.7	63.5	48.1	18.2	65.0	81.3			
	相対 生存率(%)	88.8	68.0	51.7	19.6	68.2	83.7			

		I	II	III	IV	全 症例 (注)	手術 症例	手術率 (%)	病期 判明率 (%)	追跡率 (%)
子宮体 C54(女)	症例数	2,143	186	400	198	3,105	2,889	93.0	94.3	95.1
	実測 生存率(%)	88.2	79.9	59.0	12.6	77.4	81.3			
	相対 生存率(%)	94.0	84.5	62.1	13.3	82.3	86.5			
卵巣 C56(女)	症例数	591	135	588	262	1,694	1,515	89.4	93.0	96.2
	実測 生存率(%)	81.1	59.1	26.9	13.4	48.5	53.4			
	相対 生存率(%)	84.8	62.4	28.5	14.0	51.0	56.1			
前立腺 C61(男)	症例数	221	5,360	1,216	1,057	7,994	2,543	31.8	98.2	95.1
	実測 生存率(%)	85.7	82.6	70.8	32.8	74.1	90.0			
	相対 生存率(%)	100.0	100.0	98.5	45.0	99.2	100.0			
腎臓など C64-66	症例数	1,180	300	274	588	2,414	1,978	81.9	97.0	95.9
	実測 生存率(%)	77.8	59.0	45.3	8.8	54.2	64.4			
	相対 生存率(%)	90.7	68.6	54.1	10.7	63.3	75.2			
膀胱 C67	症例数	799	295	202	163	1,533	1,391	90.7	95.2	95.6
	実測 生存率(%)	58.2	55.2	41.7	8.0	49.6	52.3			
	相対 生存率(%)	74.9	68.9	51.9	9.9	63.0	66.6			
甲状腺 C73	症例数	796	202	288	618	2,051	1,817	88.6	92.8	95.0
	実測 生存率(%)	95.7	91.1	85.8	53.1	80.0	84.6			
	相対 生存率(%)	100.0	100.0	95.7	60.4	86.8	91.7			

(注) 病期不明の症例を含む。

再掲1: 結腸がん、直腸がんを合わせて大腸がんとした。